For KCC Use: Effective Date: _____ District # ____ SGA? Yes No

Kansas Corporation Commission Oil & Gas Conservation Division

Form C-1
March 2010
Form must be Typed
Form must be Signed
All blanks must be Filled

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Form KSONA-1. Certification of Compliance with the Kansas Surface Owner Notification Act. MUST be submitted with this form.

Form KSONA-1, Certification of Compliance with the Kansas	s Surface Owner Notification Act, MUST be submitted with this form.					
Expected Spud Date:	Spot Description:					
month day year OPERATOR: License#						
Name:	feet from E / W Line of Section					
Address 1:	Is SECTION: Regular Irregular?					
Address 2:	(Note: Locate well on the Section Plat on reverse side)					
City:	County:					
Contact Person:	Lease Name: Well #:					
Phone:	Field Name:					
CONTRACTOR: License#	Is this a Prorated / Spaced Field?					
Name:	Target Formation(s):					
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage):					
	Ground Surface Elevation:feet MSL					
Oil Enh Rec Infield Mud Rotary Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:					
Disposal Wildcat Cable	Public water supply well within one mile:					
Seismic; # of Holes Other	Depth to bottom of fresh water:					
Other:	Depth to bottom of usable water:					
	Surface Pipe by Alternate: II III					
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set:					
Operator:	Length of Conductor Pipe (if any):					
Well Name:	Projected Total Depth:					
Original Completion Date: Original Total Depth:	Formation at Total Depth:					
	Water Source for Drilling Operations:					
Directional, Deviated or Horizontal wellbore? Yes No	Well Farm Pond Other:					
If Yes, true vertical depth:	DWR Permit #:					
Bottom Hole Location:	(Note: Apply for Permit with DWR)					
KCC DKT #:	Will Cores be taken?					
	If Yes, proposed zone:					
AF	FIDAVIT					
The undersigned hereby affirms that the drilling, completion and eventual p	lugging of this well will comply with K.S.A. 55 et. seq.					
It is agreed that the following minimum requirements will be met:						
 The appropriate district office will be notified before well is either plug If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order # 	t by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Strict office on plug length and placement is necessary prior to plugging ; upged or production casing is cemented in; led from below any usable water to surface within 120 DAYS of spud date. Let 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.					
Date: Signature of Operator or Agent:	Title:					
Fac MCC Has ONLY	Remember to:					
For KCC Use ONLY	- File Certification of Compliance with the Kansas Surface Owner Notification					
API # 15	Act (KSONA-1) with Intent to Drill;					
Conductor pipe requiredfeet	 File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; 					
Minimum surface pipe requiredfeet per ALTII	- File acreage attribution plat according to field proration orders;					
Approved by:	Notify appropriate district office 48 hours prior to workover or re-entry;					
This authorization expires:	- Submit plugging report (CP-4) after plugging is completed (within 60 days);					
(This authorization expires: (This authorization void if drilling not started within 12 months of approval date.)	- Obtain written approval before disposing or injecting salt water.					
· · · /	- If well will not be drilled or permit has expired (See: authorized expiration date)					
Spud date: Agent:	please check the box below and return to the address below.					
Mail to: KCC - Conservation Division.	Well will not be drilled or Permit Expired Date: Signature of Operator or Agent:					

For KCC Use ONLY	
API # 15	

Field:

Well Number: _____

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Location of Well: County: ____

feet from N / S Line of Section

_____ Twp. _____ S. R. ____ 🔲 E 🔲 W

feet from E / W Line of Section

R/QTR/QTR	of acreag	e:				_	Section:	Regular or	Irregula	AI.		
							Section is I ction corne	rregular, locate r r used: NE			rner boun SW	dar
Sk	now locatio	on of the w	vell Show:	footage to	the neare	PLAT	r unit hound	ary line. Show th	a pradicted	locations	of.	
				_				as Surface Owne				
							plat if desi			•	,	
	: : : :	:	: : : :		:	:	:		LEG	END		
	•	•	•	••••		•		,	\ \\\-\\	Laatian		
	:	:	:		:					Location		
	:	:	:		:	:		L		Battery L		
•••••				••••					-	line Locat		
	:									tric Line L		
	:	:	:		:		:	_	Leas	e Road L	ocation	
•••••				•••••		• • • • • • • • • • • • • • • • • • • •						
	•	:	:		:	:	:					
		:		I		:		EXAM	PLE	:	:	
,	<u> </u>	· :	:		:	:	:					
		:	:		:	:	:					
	:	:	:		:	:	:		;	:	:	
•••••		:		•••••		:				:		
	•		:		:	:	:		:	:	:	
;	•	:	:		:	:	:		:	:	:	
,									. O=3	Ė	:	198
		:	:		:	:			:	:	:	
· 1	:	:	:		:	:	:					ĺ

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.

NOTE: In all cases locate the spot of the proposed drilling locaton.

- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name:		License Number:				
Operator Address:						
Contact Person:		Phone Number:				
Lease Name & Well No.:		Pit Location (QQQQ):				
Type of Pit:	Pit is:					
Emergency Pit Burn Pit	Proposed	Existing	SecTwp R			
Settling Pit Drilling Pit	Drilling Pit If Existing, date constructed:		Feet from North / South Line of Section			
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity:		Feet from East / West Line of Section			
		(bbls)	County			
Is the pit located in a Sensitive Ground Water A	rea? Yes	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)			
Is the bottom below ground level?	Artificial Liner?	No	How is the pit lined if a plastic liner is not used?			
Pit dimensions (all but working pits):	Length (fee	et)	Width (feet) N/A: Steel Pits			
Depth fro	om ground level to dee	epest point:	(feet) No Pit			
If the pit is lined give a brief description of the li material, thickness and installation procedure.	ner		dures for periodic maintenance and determining cluding any special monitoring.			
Distance to nearest water well within one-mile of	of pit:	Depth to shallor Source of inforr	west fresh water feet.			
feet Depth of water well	feet	measured	well owner electric log KDWR			
Emergency, Settling and Burn Pits ONLY:		Drilling, Worko	ver and Haul-Off Pits ONLY:			
Producing Formation:		Type of material utilized in drilling/workover:				
Number of producing wells on lease:		Number of working pits to be utilized:				
Barrels of fluid produced daily:		Abandonment procedure:				
Does the slope from the tank battery allow all s flow into the pit? Yes No	pilled fluids to	Drill pits must be closed within 365 days of spud date.				
I hereby certify that the above statements are true and correct to the best of my knowledge and belief. Date Signature of Applicant or Agent						
	KCC	OFFICE USE OI	NLY			
	11.00	J. 1 102 002 01	Liner Steel Pit RFAC RFAS			
Date Received: Permit Numl	ber:	t Date: Lease Inspection: Yes No				

Kansas Corporation Commission Oil & Gas Conservation Division

Form KSONA-1
January 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1	(Cathodic Protection Borehole Intent)				
OPERATOR: License #	Well Location:				
Name:					
Address 1:					
Address 2:	•				
City: State: Zip:+					
Contact Person:	the lease below:				
Phone: () Fax: ()					
Email Address:					
Surface Owner Information:					
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional				
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the				
Address 2:					
City:					
the KCC with a plat showing the predicted locations of lease roads, ta	nodic Protection Borehole Intent), you must supply the surface owners and nk batteries, pipelines, and electrical lines. The locations shown on the plat on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.				
I certify that, pursuant to the Kansas Surface Owner Notice owner(s) of the land upon which the subject well is or will be	Act (House Bill 2032), I have provided the following to the surface clocated: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form being filed is a Form C-1 or Form CB-1, the plat(s) required by this and email address.				
KCC will be required to send this information to the surface of	acknowledge that, because I have not provided this information, the owner(s). To mitigate the additional cost of the KCC performing this as of the surface owner by filling out the top section of this form and e KCC, which is enclosed with this form.				
If choosing the second option, submit payment of the \$30.00 handlin form and the associated Form C-1, Form CB-1, Form T-1, or Form CF	ng fee with this form. If the fee is not received with this form, the KSONA-1P-1 will be returned.				
I hereby certify that the statements made herein are true and correct	to the best of my knowledge and belief.				
Date: Signature of Operator or Agent:	Title:				

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL (FORM C-1)

Instructions

General Instructions.

- 1. Form must be typed.
- 2. Form must be signed.
- 3. All applicable blanks must be completed.
- 4. Form must be submitted with a completed Form KSONA-1.

Section 1: Expected Spud Date.

Enter the Month, Day, and Year when the operator expects to drill the subject well.

Section 2: Operator Information.

- License #. Enter the operator's license number. To verify KCC operator license information, check the Commission's website at http://kcc.ks.gov/conservation/oil_license.cg or contact the Conservation Division's Licensing Department at (316) 337-6194.
- Name. Enter the operator's full name as it appears on operator's license.
- 2c. Address. Enter the operator's street or P.O. Box mailing address.
- 2d. City/State/Zip. Enter the operator's city, state, and zip code.
- 2e. Contact Person. Enter the name of the individual who will be the operator's contact person for this Intent, should Conservation Division Staff need to contact the operator about the Intent. The contact person may be the operator or the operator's agent.
- 2f. Phone. Enter the phone number of the contact person, so Conservation Division Staff may easily reach the contact person if necessary to discuss the Intent.

Section 3: Drilling Contractor.

The drilling contractor is the operator that will be performing the physical operations of drilling the well. The contractor may or may not be the same as the operator listed in Section 2.

- License #. Enter the contractor's license number. To verify KCC operator license information, check the Commission's website at http://kcc.ks.gov/conservation/oil_license.cg, or contact the Conservation Division's Licensing Department at (316) 337-6200.
- Name. Enter the contractor's full name as it appears on its operator's license.

Section 4: Well Purpose; Well Class; and Type of Equipment.

4a. Well Drilled For.

- Mark the appropriate box for the purpose the well is being drilled. Mark all that apply.
- 4a(2). For only OWWO Intents to reenter a plugged well bore or deepen an existing well bore, complete this section with the following information for the existing well:
- 4a(2)(a). **Operator.** The name of the last operator of the existing well.
- 4a(2)(b). Name. The name under which the well was last operated.
- 4a(2)(c). **Original Completion Date.** The date on which the existing well was originally completed.
- 4a(2)(d). **Original Total Depth.** Original total depth of the existing well.
- Well Class. Mark the appropriate box for the class of well for which drilling authority is sought.
- 4c. Type Equipment. Mark the appropriate box for the type of drilling equipment the contractor will use to drill the well.

Section 5: Directional, Deviated or Horizontal Wellbore.

Mark the appropriate box to indicate whether the well for which the operator is seeking drilling authority will be a directional, deviated, or horizontal wellbore. Commission Regulation K.A.R. 82-3-103a(a) provides that the operator must notify the Commission for any hole where intended deviation from the surface to the top of the producing formation exceeds seven degrees (7). If the answer is no, the operator may proceed

to Section 6. A separate application pursuant to K.A.R. 82-3-103a is not necessary for horizontal wells drilled in the Mississippi formation if:

- i. the operator certifies that all points of the effective completion interval will comply with statewide setback rules established in K.A.R. 82-3-108,
- ii. attach the information listed below in vi.,
- iii. certifies that a blowout preventer will be utilized during drilling operations, and
- iv. certifies that a directional survey and all other requested information will be provided with the ACO-1 Well Completion form.
- v. Effective Completion Interval. For open hole horizontal wellbore completions, the effective completion interval is the point at which the wel bore contacts the producing formation until the wellbore terminates, including any isolation packers. For cased horizontal wel bore completions, the effective completion interval is from the first perforation to the last perforation.
- vi. Information to attach to the Intent to Drill for Horizontal Mississippi Wells:
 - A brief description of the leased acreage, including a statement regarding the unitization of leased interests if necessary, and
 - ii. A plat map that clearly depicts each lease or unit boundary, the surface location of the wel bore (include the footages from the nearest lease or unit boundary), the proposed horizontal path of the wel bore and its terminus (including the footages from the nearest lease or unit boundary).

5a. True Vertical Depth.

True vertical depth is the bottom hole depth, as measured from the point at the surface directly above the proposed bottom hole location.

- Bottom Hole Location. The geographic location of the proposed bottom hole location (given as footages from the nearest outside section lines, Section, Township, Range and Range Direction).
- KCC DDT #. If the operator has filed an application under K.A.R.
 82-3-103a(a), enter the application's Docket Number.

Section 6: Proposed Well Location and Other Information.

- 6a. **Spot Description.** Enter the spot location of the proposed well $(\ \%\ \%\ \%\)$.
- 6b. Sec., Twp., R. Enter the Section, Township and Range in which the proposed well is located, and mark the appropriate box to indicate if the range is East or West of the Sixth Principal Meridian.
- 6c. Footage Location. This is where the operator reports the location of the proposed well from the North or South section line and the East or West section line. The operator should enter the number of feet the proposed well is located from the North or South section line and mark the appropriate box for the measurement to indicate if the footage is from the North or South section line. Follow the same procedure for the location of the proposed well from the East or West section line.
- Regular or Irregular Section. Mark the appropriate box to indicate whether the section is regular or irregular.
- 6e. County. Enter the county in which the proposed well is located.
- 6f. Lease Name and Well Number. Enter the name of the lease and the well number.
- 6g. Field Name. List the name of the field from which the well will produce. Field names are available on the KGS web site http://www.kgs.ku.edu/Magellan/Field/index.html.
- 6h. Prorated/Spaced Field. Mark the appropriate box to indicate whether the targeted field is spaced or prorated by Commission Order. See http://kcc.ks.gov/conservation/summary_prorated_fields.pdf for a list of spaced or prorated oil and gas fields.
- Target Formation(s). Enter the name of the target geologic formation or formations.

- Nearest Lease or Unit Boundary. Enter the distance from the proposed well to the nearest lease or unit boundary.
- Ground Surface Elevation. Enter the elevation (from sea level) of the proposed well location.
- 61. Water Well Within One-Quarter Mile. Review water well records with the Kansas Geological Survey and mark the appropriate box to indicate whether there is a water well within a ¼-mile radius of the proposed well location. Water well information is available on the Survey's website, http://www.kgs.ku.edu/Magellan/WaterWell/index.html.
- 6m. Public Water Supply Well Within One Mile. Review water well records with the Kansas Geological Survey and mark the appropriate box to indicate whether a public water supply well is within one mile of the proposed well.
- 6n. Depth to Bottom of Fresh Water. Enter the number of feet from the surface to the bottom of the deepest fresh water zone in the proposed well. This number is subject to change upon review by Conservation Division Staff.
- 6o. Depth to Bottom of Usable Water. Enter the number of feet from the surface to the bottom of the deepest usable water zone in the proposed well. This number is subject to change upon review by Conservation Division Staff.
- 6p. Surface Pipe By Alternate 1 or 2. Mark the appropriate box to indicate whether Alternate 1 or 2 surface casing requirements will be followed. This selection is subject to change upon review by Conservation Division Staff.
- 6q. Length of Surface Pipe Planned to be Set. Enter the length of surface pipe to be set in the proposed well. This number is subject to change upon review by Conservation Division Staff.
- Length of Conductor Pipe Required. Enter the length of conductor pipe required in the proposed well. This number is subject to change upon review by Conservation Division Staff.
- Projected Total Depth. Enter the projected total depth of the proposed well.
- 6t. **Formation at Total Depth.** Enter the name of the geologic formation present at the projected total depth of the proposed well.
- 6u. Water Source for Drilling Operations. If the water source for drilling operations at the proposed well is a well or farm pond, mark the appropriate box. If another water source will be utilized, mark the "Other" box and enter the water source for the proposed well's drilling operations in the blank provided to the right of that box.
- DWR Permit #. Enter the permit number given by the Division of Water Resources office. If the operator will obtain DWR Permit in the future, mark the "Note: Apply for Permit with DWR" box.
- 6w. Cores.
 - 6w(1). Mark the appropriate box to indicate whether core samples will be taken.
 - 6w(2). If yes, provide the proposed zone from which core samples will be taken.

Section 7: Affidavit.

The Affidavit is the operator's oath that the drilling, completion, and eventual plugging of the proposed well will comply with Chapter 55 of the Kansas Statutes Annotated. The operator or its agent must read all six requirements of the Affidavit, date and sign the agreement, and provide their title/position with the operator in the appropriate blanks.

Section 8: Plat.

For all wells, complete 8a through 8m descr bed below, and complete the plat map showing the location of the proposed well and the preliminary estimated locations of tank batteries, pipelines, electrical lines, and lease roads. Refer to the Legend to the right of the plat map for the symbols to be used. Surrounding wells are not required on the plat map. For wells subject to a basic proration order, complete the plat map on the Intent and also provide the plat map on Form CG-8 or CO-7 as required by K.A.R. 82-3-103(a)(2)(K).

- 8a. **API Number.** To be left blank. Conservation Division Staff will assign the API Number for the proposed well.
- Operator. Enter the operator's full name as it appears on the operator's license.

- Lease. Enter the name of the lease upon which the proposed well is to be located.
- 8d. Well Number. Enter the number of the proposed well.
- 8e. Field. Enter the oil or gas field in which the proposed well is located.
- 8f. Number Acres Attributable to the Well. Enter the number of acres attributable to the well. An acreage attribution plat must be attached to the Intent for wells located in spaced or prorated fields (Form CO-7 for oil wells and Form CG-8 for gas wells).
- 8g. QTR/QTR/QTR of Acreage. Operator should enter the ¼ ¼ ¼ Section location of the acreage attributable to the well.
- 8h. Location of Well: County. Enter the county in which the proposed well is located.
- Feet from North/South Section Line. Enter the proposed well's location, in feet, from the North or South section line and mark the appropriate box to indicate the section line used.
- 8j. Feet from East/West Section Line. Enter the proposed well's location, in feet, from the East or West section line and mark the appropriate box to indicate the section line used.
- 8k. Section, Township, Range. Enter the Section, Township, and Range in which the proposed well is to be located, and mark the appropriate box to indicate whether the range number is East or West.
- Regular or Irregular Section. Mark the appropriate box to indicate whether the section in which the proposed well is located is a regular or irregular section.
- 8m. Nearest Corner Boundary (For Irregular Sections Only). Mark the appropriate box to indicate which corner boundary of the irregular section is nearest to the proposed well.

For KCC Use: Effective Date: _ District # _ SGA? Yes No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

≶

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Expected Spud Date:	Onet Becariotism 63
month day year	Spot Description: 68
OPERATOR: License# 2a	
Name: 2b	SECTION: Regular Irregular? 6d F / W Line of Section
Address 1: 2C Address 2: 2C	
Address 2:	(Note: Locate well on the Section Plat on reverse side)
Contact Person: 2e	County: 6e
Phone: 2f	Lease Name: 6f Well #: 6f
CONTRACTOR: License# 3a	Field Name: 6g
Name: 3b	Is this a Prorated / Spaced Field? 6h Yes No
Name:	Target Formation(s): 6i
4a Well Drilled For: 4b Well Class: 4c Type Equipment:	Nearest Lease or unit boundary line (in footage): 6j
a(1) Oil Enh Rec Infield Mud Rotary	Ground Surface Elevation: 6k feet MSL
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile: 6l Yes No
Disposal Wildcat Cable	Public water supply well within one mile: 6m Yes No
a(2) Seismic ; # of Holes Other	Depth to bottom of fresh water: 60
Other:	Depth to bottom of usable water: 60
If OWWO: old well information as follows:	Surface Pipe by Alternate: II III 6p
	Length of Surface Pipe Planned to be set: 6q Length of Conductor Pipe (if any): 6r
Operator: 4a(2)(a)	
Well Name: 4a(2)(b) Original Completion Date: 4a(2)(c) Original Total Depth: 4a(2)(d)	Projected Total Depth: 6s Formation at Total Depth: 6t
Original Completion Date: 4a(2)(0) Original Total Depth: 4a(2)(0)	r emailer at retail Deptili
Directional, Deviated or Horizontal wellbore? 5 Yes No	Water Source for Drilling Operations: 6u Well Farm Pond Other:
If Yes, true vertical depth:5a	DWR Permit #: 6V
Bottom Hole Location: 5b	(Note: Apply for Permit with DWR)
KCC DKT #:	Will Cores be taken? 6w(1) Yes No
	If Yes, proposed zone: 6w(2)
	FIDAVIT 7
The undersigned hereby affirms that the drilling, completion and eventual plus	igging of this well will comply with K.S.A. 55 et. seq.
It is agreed that the following minimum requirements will be met:	
 Notify the appropriate district office prior to spudding of well; 	
2. A copy of the approved notice of intent to drill shall be posted on each	
3. The minimum amount of surface pipe as specified below shall be set	by circulating cement to the top; in all cases surface pipe shall be set
	by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.
 The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into th If the well is dry hole, an agreement between the operator and the dis The appropriate district office will be notified before well is either plugger 	by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in;
 The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into th If the well is dry hole, an agreement between the operator and the dis The appropriate district office will be notified before well is either pluge If an ALTERNATE II COMPLETION, production pipe shall be cemented 	by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; defrom below any usable water to surface within 120 DAYS of spud date.
 The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into th If the well is dry hole, an agreement between the operator and the dis The appropriate district office will be notified before well is either pluge If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # 	by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; defrom below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing
 The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into th If the well is dry hole, an agreement between the operator and the dis The appropriate district office will be notified before well is either pluge If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be 	by circulating cement to the top; in all cases surface pipe <i>shall be set</i> e underlying formation. trict office on plug length and placement is necessary <i>prior to plugging;</i> ged or production casing is cemented in; defrom below any usable water to surface within <i>120 DAYS</i> of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing.
 The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into th If the well is dry hole, an agreement between the operator and the dis The appropriate district office will be notified before well is either pluge If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # 	by circulating cement to the top; in all cases surface pipe <i>shall be set</i> e underlying formation. trict office on plug length and placement is necessary <i>prior to plugging;</i> ged or production casing is cemented in; defrom below any usable water to surface within <i>120 DAYS</i> of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing.
 The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into th If the well is dry hole, an agreement between the operator and the dis The appropriate district office will be notified before well is either pluge If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and to the best of respective to the statements made herein are true and to the best of respective to the statements made herein are true and to the best of respective to the statements made herein are true and to the best of respective to the statements made herein are true and to the best of respective to the statements made herein are true and to the best of respective to the statements made herein are true and to the best of respective to the statements made herein are true and to the best of respective to the statements made herein are true and to the best of respective to the statements made herein are true and to the best of respective to the statements made herein are true and to the best of respective to the statement to the state	by circulating cement to the top; in all cases surface pipe <i>shall be set</i> e underlying formation. trict office on plug length and placement is necessary <i>prior to plugging;</i> ged or production casing is cemented in; deform below any usable water to surface within <i>120 DAYS</i> of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing. The production case is a plugged. In all cases, we have a plugged in the prior to any cementing. The production case is a plugged in the prior to any cementing. The production case is a plugged in the prior to any cementing. The production case is a plugged in the prior to any cementing. The production case is a plugged in the prior to any cementing. The production case is a plugged in the prior to any cementing in the prior to any cementing. The production case is a plugged in the prior to any cementing in the p
 The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into th If the well is dry hole, an agreement between the operator and the dis The appropriate district office will be notified before well is either pluge If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be 	by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; defrom below any usable water to surface within 120 DAYS of spud date. I33,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing. Title:
 The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into th If the well is dry hole, an agreement between the operator and the dis The appropriate district office will be notified before well is either pluge If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and to the best of respective to the statements made herein are true and to the best of respective to the statements made herein are true and to the best of respective to the statements made herein are true and to the best of respective to the statements made herein are true and to the best of respective to the statements made herein are true and to the best of respective to the statements made herein are true and to the best of respective to the statements made herein are true and to the best of respective to the statements made herein are true and to the best of respective to the statements made herein are true and to the best of respective to the statements made herein are true and to the best of respective to the statement to the state	by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; defrom below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing e plugged. In all cases, NOTIFY district office prior to any cementing. my knowledge and belief. Title:
3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either pluge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and to the best of recommendation. Signature of Operator or Agent: Signature of Operator or Agent:	by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; defrom below any usable water to surface within 120 DAYS of spud date. I33,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing. Title:
3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and to the best of recommendation. Date: Signature of Operator or Agent: For KCC Use ONLY API # 15	by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; defrom below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing. Title: Remember to: File Certification of Compliance with the Kansas Surface Owner Notification
3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either pluge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and to the best of reconstruction. Date: Signature of Operator or Agent:	by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; defrom below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing. Title: Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;
3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either pluge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and to the best of reconstruction. Date: Signature of Operator or Agent: For KCC Use ONLY API # 15 - Conductor pipe required feet Minimum surface pipe required feet per ALTI I II II	by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; defrom below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing. Title: Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders;
3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either pluge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and to the best of respectively. Date: Signature of Operator or Agent:	by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; defrom below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing. Title: Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry;
3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dises. The appropriate district office will be notified before well is either pluge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be a likely certify that the statements made herein are true and to the best of respectively. Date: Signature of Operator or Agent: For KCC Use ONLY API # 15 - Conductor pipe required	by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; defrom below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing. Title: Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days);
3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either pluge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and to the best of respectively. Date: Signature of Operator or Agent: For KCC Use ONLY API # 15 Conductor pipe required feet per ALT I II III Approved by: feet per ALT I III Approved by: feet per ALT I III Approved by: feet per ALT IIII Approved by:	by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; defrom below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing e plugged. In all cases, NOTIFY district office prior to any cementing. Title: Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.
3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either pluge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be a likely certify that the statements made herein are true and to the best of responsible to the statements of the spud date or the well shall be completed. Date: Signature of Operator or Agent:	by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; defrom below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing. Title: Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days);
3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dises. The appropriate district office will be notified before well is either pluge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be a likely certify that the statements made herein are true and to the best of respectively. Date: Signature of Operator or Agent: For KCC Use ONLY API # 15 - Conductor pipe required	by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; defrom below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing. Title: Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If well will not be drilled or permit has expired (See: authorized expiration date) please check the box below and return to the address below.
3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either pluge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and to the best of recommendate in the statements of the spud date or the well shall be I hereby certify that the statements made herein are true and to the best of recommendate in the statements of the spud date or the well shall be I hereby certify that the statements made herein are true and to the best of recommendate in the statement of the spud date or the well shall be I hereby certify that the statements made herein are true and to the best of recommendate in the statement of the spud date or the well shall be cemented. For KCC Use ONLY API # 15 - Conductor pipe required	by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; defrom below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing. Title: Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If well will not be drilled or permit has expired (See: authorized expiration date) please check the box below and return to the address below.

For KCC Us	se ONLY		
API # 15	8a		

Well Number: 8d

Number of Acres attributable to well: 8f

Field: 8e

Operator: 8b

Lease: 8c

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Location of Well: County: 8h

Is Section: Regular or Irregular 8I

feet from N / S Line of Section

TR/QTR/QTR	of acreage	e: <u>8g</u>				-	Section.	
							Section is ction corne	Irregular, locate well from nearest corner boundary er used: NE NW SE SW 8m
				d electrica	the neare	required b		dary line. Show the predicted locations of cas Surface Owner Notice Act (House Bill 2032).
		:	:		:	:	:	LEGEND
								O Well Location Tank Battery Location Pipeline Location
								Electric Line Location Lease Road Location
		: : : : :			: : : : :		<u>:</u> : : :	EXAMPLE :
								O=1 198
			:					

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.

NOTE: In all cases locate the spot of the proposed drilling locaton.

- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

APPLICATION FOR SURFACE PIT (FORM CDP-1)

Instructions

General Instructions.

- All Notices of Intent to Drill must include an Application for Surface Pit, even if steel pits will be used.
- Operators need to submit two copies of all CDP-1s.
- 3. Form must be typed.

Section 1: Operator Information.

- Operator Name. Enter the operator's full name as it appears on operator's license.
- License Number. Enter the operator's license number. To verify KCC operator license information check the Commission's website at http://kcc.ks.gov/conservation/oil_license.cgi or contact the Conservation Division's Licensing Department at (316) 337-6194.
- 1c. Operator Address. Enter the operator's mailing address.
- 1d. Contact Person. Enter the name of the individual who will be the operator's contact person for this Application for Surface Pit, should Conservation Division Staff need to contact the operator about the Application for Surface Pit. The contact person may be the operator or the operator's agent.
- Phone Number. Enter the phone number of the contact person, so that Conservation Division Staff may easily reach the contact person if necessary.

Section 2: Lease/Well/Pit Information.

- Lease Name & Well No. Enter the name of the lease, and if applicable the well number, at which the pit is or will be located.
- 2b. Type of Pit. Mark the appropriate box to indicate the type of pit. Note—if the pit is a workover pit, the operator must enter the API No. or Year Drilled of the well which is to be worked over.
- Proposed or Existing Pit. Operator should mark the appropriate box to indicate if the pit is proposed or already exists.
 - Existing Pits. The operator should provide the date pit was constructed.
 - 2c(2). Proposed and Existing Pits. The operator must provide the pit capacity.

2d. Pit Location.

- 2d(1). ¼ ¼ ¼ ¼ Section. The operator should list the location of the pit by ¼ ¼ ¼ Section.
- 2d(2). Sec., Twp., and R. The operator should enter the Section, Township and Range Number in which the pit is located, and should mark either the "East" or "West" box to indicate if the Range # is East or West.
- 2d(3). Footage Location. This is where the operator reports the location of the pit from the North or South section line and the East or West section line. Enter in the blank provide the number of feet the pit is or will be from the North or South section line and then mark the appropriate box for the measurement to indicate if the footage is from the North or South section line. Follow the same procedure with respect to the location of the pit from the East or West section line.
- 2d(4). County. Enter the county in which the pit is or will be located.
- 2e. Sensitive Groundwater Area. Mark the appropriate box as to whether or not the pit is located in a Sensitive Groundwater Area. Operators may find a listing of Sensitive Groundwater Areas in Table III of the Conservation Division's Rules and Regulations. The Commission's rules and regulations for the conservation of oil and gas, including Table III, are available in an Adobe pdf file from the Conservation Division's website at http://koc.ks.gov/conservation/index.htm.
- 2f. Chloride Concentration (for emergency and settling pits only). Indicate the chloride concentration level of fluids which the pit is or will be used to contain. A sample should be taken from the salt water tank. This information is needed to determine the potential for contamination should the salt water tank discharge into the emergency pit.

- Below Ground Level. Mark the appropriate box to indicate whether the bottom of the pit is below ground level.
- 2h. Artificial Liner. Mark the appropriate box to indicate whether the pit is or will be constructed with an artificial liner.
- Other Liner. Explain how the pit is constructed if a plastic liner is not used.
- 2j. Pit Dimensions (all but working pits). For all but steel pits, enter the length, width, and depth (from ground level to the deepest point) in feet of the pit. If the pit is a steel pit, the operator only needs to mark the "steel pits" box. If no pits will be used, mark the "No Pit" box.

Section 3: Description of Liner.

If the pit is lined, enter a brief description of the liner material, thickness, and installation procedure.

Section 4: Description of Maintenance.

Enter a brief description of the procedures used for periodic maintenance and determining liner integrity, including any special monitoring.

Section 5: Distance to Nearest Water Well Within One Mile of Pit.

Enter the distance to the nearest water well within one mile of the pit location and the total depth of the water well. If there are not any water wells within a one-mile radius of the pit location, the space should be left blank. Water well information is available from the Kansas Geological Survey's website, at http://www.kgs.ku.edu/Magellan/WaterWell/index.html.

Section 6: Shallowest Freshwater Depth.

Enter the depth to the shallowest fresh water in the area of the pit and mark the appropriate box as the source of the freshwater information.

Section 7: Emergency, Settling, and Burn Pits ONLY.

Enter the formation from which wells on the lease are producing, the number of producing wells on the lease, and the number of barrels of fluids produced daily on the lease. The operator should also mark the appropriate box to indicate if the slope of the tank battery allows all spilled fluids to flow in the pit.

Section 8: Drilling, Workover, and Haul-Off Pits ONLY.

Enter the type of material utilized in the drilling or workover of the well, the number of working pits to be utilized, and the procedure to be used for abandoning the pits after work at the well is complete.

Section 9: Affidavit.

Date and sign the certification that the above statements are true and correct to the best of the signee's knowledge and belief.

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: 1a		License Number: 1b				
Operator Address: 1c						
Contact Person: 1d		Phone Number: 1e				
Lease Name & Well No.: 2a		Pit Location (QQQQ): 2d				
Type of Pit: 2b	Pit is: 2c		2d(1)			
Emergency Pit Burn Pit	Proposed	Existing	Sec. 2d(2) Twp R East West			
Settling Pit Drilling Pit	If Existing, date cor 2c(1)	nstructed:	2d(3) Feet from North / South Line of Section			
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity:		Feet from East / West Line of Section			
	2c(2)	(bbls)	2d(4) County			
Is the pit located in a Sensitive Ground Water A 2e	rea? Yes I	No	Chloride concentration: 2f mg/l (For Emergency Pits and Settling Pits only)			
Is the bottom below ground level?	Artificial Liner?		How is the pit lined if a plastic liner is not used?			
Yes No 2g		lo 2h	2i			
Pit dimensions (all but working pits):			Width (feet) N/A: Steel Pits 2j No Pit			
Depth fro If the pit is lined give a brief description of the line	om ground level to dee		dures for periodic maintenance and determining			
material, thickness and installation procedure.			cluding any special monitoring.			
3		4				
Distance to progress water well within any mile of	of mit.	Donth to shallo	west fresh water 6 feet.			
Distance to nearest water well within one-mile of	л ри:	Source of inforr				
5feet Depth of water well	5 feet	measured well owner electric log KDWR				
Emergency, Settling and Burn Pits ONLY:		Drilling, Worko	rilling, Workover and Haul-Off Pits ONLY:			
Producing Formation: 7		Type of material utilized in drilling/workover: 8				
Number of producing wells on lease:		Number of working pits to be utilized: 8				
Barrels of fluid produced daily: 7		Abandonment p	procedure:8			
Does the slope from the tank battery allow all sl flow into the pit? Yes No 7	pilled fluids to	Drill pits must b	et be closed within 365 days of spud date.			
I hereby certify that the above statem	ents are true and corr	rect to the best of	my knowledge and belief.			
9			9			
Date		Sig	nature of Applicant or Agent			
	KCC (OFFICE USE OF	Liner Steel Pit RFAC RFAS			
Date Received: Permit Numl	ber:	Permi	Date: Lease Inspection: Yes No			